



MHS575-C001 Moving Head Spot 575

- Power supply: AC 220/50HZ 120V/60Hz
- Power consumption: 800W
- Fuse: 10A
- Lamp: HMI 575W
- Color Temperature: 6000K
- DMX channels: 20
- Double gobo wheels, gobo overlap is available.
- Gobo: 1 rotatable Gobo wheel
- Gobo: 1 fixed Gobo wheel
- Iris: 1 adjustable Iris
- Color: 6 colors + white, with rainbow effect
- Prism: rotatable 3-facet prism
- Prism: 1 fixed 5-facet prism + frost lamella
- Focus: Linear focus
- Gobo zoom out and in is available
- Flash: Double-patches dimming, flash rate 1-10/ second speed controllable.
- Heat Protection: 100°C over heat protection thermostat.
- Fine: Pan, Tilt fine 1.8°
- Reposition: Pan & Tilt repositioning by Photoelectric reposition system, both have the automatic rectify function
- Pan : 450°
- Tilt : 270°
- Speed Adjustment: Pan, Tilt 0-255 speed-controllable.
- Rainbow effect: color and gobo wheel have rainbow effect
- Dimensions(L*W*H): 650*590*720mm
- N.W.: 39kg



DMX Control Channels		DMX Control Channels	
CH 1	Flash	CH 11	Stationary Gobo wheel
CH 2	Dimmer	CH 12	Movement gobo wheel
CH 3	Pan	CH 13	Dynamic gobo wheel orientation
CH 4	Tilt	CH 14	Gobo wheel rotating
CH 5	Pan Fine	CH 15	Zoom 1
CH 6	Tilt Fine	CH 16	Zoom 2
CH 7	Pan, Tilt speed adjustment	CH 17	Dynamic 3-facet prism
CH 8	Focus	CH 18	3-facet prism rotation
CH 9	Color wheel	CH 19	Five facet prism
CH 10	Iris	CH 20	Fogbow

Trenutno najbolji Best Buy s odnosom cijene i kvalitete...

podaci govore sami za sebe

dva u case 2900eur + pdv ili komad 1500 eura + pdv

Model: RGBLEDMP

Minimalna potrošnja električne energije...

Name: RGB LED Multipar 30X3W, 3-in-1 LEDs, ZOOM

Technical Info.



Svaka Lampa ima svoj dimer, može raditi AUTOMATSKI, na ZVUK, pomoću DMX protokola (4 kanala) i kao SLAVE drugog rasvijetnog tijela...

Puni prostor bojom, koja je konkretnija i toplija nego kod bilo koje druge rasvijete..

Revolucija kod ovog modela je zoom što kut svjetla širo od 6-60 stupnjeva tako da može radit ko spoter i ko washer

Svaka led dioda je RGB što znači da svaka svijetli cijeli spektar boja što što znači da daju tri puta više svijetla nego klasične led parice gdje su diode podijeljene na R G B



- Power supply: AC110V-240V/50-60Hz
- Power Output: DC 36V/120W
- LEDs: 30pcs * 3W 3-in-1 LEDs, RGB
with "3-in-1" technology (3 colours in ONE chip)
- Driving Electronics: PWM technology, 700mA drive current.
- Cooling Method: Entire casing as heat sink plus noiseless fan.
- Casing Structure: Die cast aluminum.
- Control: Sound, auto, master/slave and DMX.
- DMX Channels : 4 CH
- DMX In/Out: 5-pin XLR connectors.
- Beam Angle: 6°~60° motorized zooming
- On-board Display: LCD display.
- Dimensions(LxWxH): 324*220*220mm
- Net weight: 5.1kg

440 eur + pdv



RGB LED Three Spot Bar (108*3W)



**108 vrlo snažnih 3W led dioda, upravljane dimerom,
Radi automatski ili pomoću DMX protokola,
Ima funkciju stroboskopa!
Idealno za farbanje pozornice ili zida zgrade
Water proof.. vodootporno za vanjsku i unutarnju upotrebu
Minimalna potrošnja električne energije...
Technical Info. Electrical**

- Size (mm): 570*220*190
- Rated Power: 450W
- IP rating: IP65

LED 108pcs 3watt high intensity LEDs
(R36/G36/B36 * 3W)

- Cooling: Direct air convection
- Beam Angle: 15 degree

Functions

- RGB color mixing / Auto-programs / Strobe /Dimmer / Auto DMX Addressing (ADAS) / ID address/ Color macros

Operation

- Working mode: DMX512 /Display Panel /Automatic /Pix controller
- DMX channel: 14CHs • XRL: 3PIN

- Weight: 10kg
- Housing Color: Black

860 eur + pdv



LED Moving Head Wash, 90×3W

Najsnažniji LED washer na tržištu

90 vrlo snažnih 3W led dioda, upravljane dimerom,

Radi automatski ili pomoću DMX protokola, Ima funkciju stroboskopa!

Odličan washer za pozornice...

Minimalna potrošnja vrhunski efekat...

Technical Data:

- Power Supply: AC 220-240V/50Hz, 110-120V/60Hz
- RGB Color: Red, green, blue for the richest possible colors
each color can be controlled on DMX controlling channel,
and supplies boundless color combination.
- LED No.

R30/G30/B30, 3watt

- Angle of light beam:
: 38°,
- Control signal: 12 Standard DMX controlling channels, and
any channels combination can be set up.
Independent master / slave control.
- Data in/out: Locking 3-pin XLR
- 530° Pan with 8 or 16 bit resolution.
- 255° Tilt with 8 or 16 bit resolution.
- Strobe: 1-8 flash per second.
- All of the three colors can be shuttered regularly.
- Dimensions(L*W*H): 466*335*371mm
- Net Weight: 12kg



1050 eur + pdv



DMX Lighting Controller

384 kanala, odličan za pametnu i individualnu rasvjetu

16 slidera

Podržava 30 banki sa mogućnošću programiranja do 8

scena te mnoštvo chase-va

Led lampa koja osvjetljava kontroler u mraku

Main Features:

- Total of 384 output channels
- 30 banks of 8 programmable scenes each
- 6 programmable chase have 240 scenes each
- 16 slider for manual control of channels
- Midi control over banks, chases and blackout
- Record up to 6 programmable chases with fade time and speeds
- LED function and program display
- Midi control over banks, chases and blackout
- Built in microphone for music triggering
- Auto mode program controlled by fade time sliders
- DMX in/out 3 pin male/female xlr
- Power input: dc 9-12v 1000ma min
- Size: 520mmX183mmX73mm
- Weight: 3Kg

140 eur + pdv